



WaterMark Level 1

Certificate of Conformity

Australian Certification Services Pty Ltd grants to the WaterMark User:

Interpod Offsite Pty Ltd

Trading as Interpod Offsite Pty Ltd

the right to use the WaterMark as shown above in conjunction with the Certificate No. on product/s as identified in the WaterMark Schedule and as listed on the WaterMark database www.abcb.gov.au/product-certification which have been shown to comply with the relevant Standard/s and level of certification referred to below. The WaterMark User is granted a licence to use the WaterMark subject to the rules governing the use of the WaterMark.

Product Type: Prefabricated Bathroom Modules
Evaluated to: ATS 5200.050—2005 Technical Specification for plumbing and drainage products
Part 050: Prefabricated bathroom modules

Paul Greig
General Manager

Issue Date: 9th December 2015
Initial Issue Date: 9th December 2015
Expiry Date: 8th December 2020

Certificate No.: 23255

This certificate remains the property of Australian Certification Services Pty Ltd

WaterMark Level 1 certification is a conformity assessment scheme based on ISO Guide 67 (system 5)





WaterMark Certification Schedule

The WaterMark User	Interpod Offsite Pty Ltd ABN: 784 156 666 790 7 Bowen Crescent West Gosford NSW 2250 AUSTRALIA Website: http://www.interpod.com.au
Certificate Number	23255
Level of Certification	WaterMark Level 1
Certification Standards:	ATS 5200.050—2005 Technical Specification for plumbing and drainage products Part 050: Prefabricated bathroom modules

Product Listing

Model Identification	Brand Name	Product Description
IPO-MB	INTERPOD	Prefabricated Bathroom Modules (Pods) with Included WaterMark Fixtures (Basin Bath Shower Water Closet Pan and Cistern) WaterMark Fittings (Tapware Showerhead) and Plumbed utilizing WaterMark Pipe and Fittings for Connection to the Cold and Heated Water Supply (1/2" Threaded Connection) and Sanitary Drainage System (DN 100 Floor Waste with Spigot utilizing Pan Connector) Max. Operating Temp. 50C and Max. Operating Pressure 500kPa

